

## 65" K-type Interactive Kiosk with IR touch Android system

### ACE KK650AIR



The **ACE KK650AIR** Digital Signage is the remote-controlled distribution and playback of digital content (TV programs, advertising, menus, and every sort of information) on networks of displays. These displays can range from digital billboards to much smaller screens, either at a single location or across multiple sites. It's all about targeting the audience with relevant information. Digital signage enables users to display their messages more dynamically and targeted.

ACE has demonstrated a Digital Signage application on android platform. The application provides the features of updating the content from remote web browser, playback of video content, image, HTML web pages and scrolling text messages.

#### Key Features:

- Android 7.1 operating system
- Rock chip RK3288 Quad-core CPU
- 2/4GB DDR3 + 8/16GB Flash
- 802.11 b/g/n internal Wifi
- 3G/WI FI /WLAN Network connection
- Remote Management Software
- Landscape display mode
- 1080P Display output
- Capacitive touch/IR touch screen optional

#### Designed for:

- POS
- Hotel
- Self-service Terminal
- Public Information Display
- Hospitality
- In-vehicles And Transportation



## Specifications:

PRODUCT	ACE KK650AIR	
PANEL	Panel Model	65 inch TFT LED
	Max Resolution	3840x2160
	Aspect Ratio	16:09
	Pixel Pitch	0.372x0.372
	Viewing Angle	89/89/89/89
	Contrast Ratio	1400 : 1
	Brightness	500cd/m <sup>2</sup>
	Response Time	13ms
	Display Area (mm)	1428.48x803.52
	Panel Size(mm)	1459.2x830x16
	Screen Weight	22.7Kg
	Lamp Type	WLED
INTERNAL MEDIA PLAYER	CPU	Quad-core ARM Cortex-A17,1.8GHz
	GPU	ARM Mali-T764
	RAM	2/4GB DDR3
	ROM	8/16GB Flash
	OS	Android 7.1
CONNECTOR	USB 2.0	X2
	HDMI (Output)	X1
	SD	X1
	Rj45	X1
	3G SIM (Optional)	X1
CONNECTIVITY	LAN	RJ45 Port, 10/100M Ethernet
	WiFi	Built-in WiFi 802.11B/G/N
	3G (Optional)	WCDMA
FILE SUPPORT	Video	H.264, MKV, WMV9, MPEG 1/2/4, HD Divx, Xvid, RM/RMVB;
	Image	BMP/PNG/GIF/JPEG
	Audio	MP3,WMA,WAV,EAAC+, MP2 dec, Vorbis (Ogg), AC3, FLAC, APE, BSAC
	Scrolling Text	txt



# Specification



PRODUCT		ACE KK650AIR
HDMI DISPLAY	Output Mode	HDMI 480P HDMI 576P HDMI 720P 50Hz HDMI 720P 60Hz HDMI 1080I 50Hz HDMI 1080I 60Hz HDMI 1080P 24Hz HDMI 1080P 50Hz HDMI 1080P 60Hz
ON-SCREEN DISPLAY LANGUAGES		English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.
DISPLAY MODE		Capacitive / infrared Touch (optional)
TOUCH		Infrared Touch (optional)
POWER	Mains Power Consumption	AC 100-240V, 50-60 Hz 110 W
SOUND	Built-in Speakers	2 x 10W
DIMENSION & WEIGHT	Machine Size	1556.7x83.8x931.7mm
	Machine Weight	650x590x1051mm(stand base) 60KG / 40.2KG (stand base)
	Carton Size	1650x160x1030mm 710x650x1100mm(stand base)
	Carton Weight	65KG / 43.2KG (stand base)
	Wooden Case Size	1700x190x1070mm 740x680x1060mm(stand base)
	Wooden Case Weight	90KG / 63.4KG (stand base)
OTHER	Regulatory Approvals	CE, FCC, ROHS
	Warranty	1 year warranty
ACCESSORIES	Included	Remote Control, Power supply, User manual, Keys, Tools and Screws

