

21.5" Desktop broad Information Stand with PCAP touch Android system ACE DB215APCAP



The **ACE DB215APCAP** Digital Signage is the remote-controlled distribution and playback of digital content (TV programs, advertising, menus, and every sort of information) on networks of displays. These displays can range from digital billboards to much smaller screens, either at a single location or across multiple sites. It's all about targeting the audience with relevant information. Digital signage enables users to display their messages more dynamically and targeted.

Key Features:

- Android 7.1 operating system
- Rock chip RK3288 Quad-core CPU
- 2/4GB DDR3 + 8/16GB Flash
- 802.11 b/g/n internal Wifi
- 3G/WI FI /WLAN Network connection
- Remote Management Software
- Portrait display mode
- 1080P Display output
- Capacitive Touch

Designed for:

- POS
- Hotel
- Self-service Terminal
- Public Information Display
- Hospitality
- In-vehicles And Transportation



Specifications:

PRODUCT		ACE DB215APCAP
PANEL	Panel Model	21.5inch TFT LED
	Max Resolution	1920x1080
	Aspect Ratio	16:09
	Pixel Pitch	0.24825x0.24825
	Viewing Angle	89/89/89/89
	Contrast Ratio	3000 : 1
	Brightness	300cd/m ²
	Response Time	14ms
	Display Area (mm)	476.64x268.11mm
	Panel Size(mm)	495.6x292.2x8.6mm
	Screen Weight	2Kg
	Lamp Type	WLED
INTERNAL MEDIA PLAYER	CPU	Quad-core ARM Cortex-A17,1.8GHz
	GPU	ARM Mali-T764
	RAM	2GB DDR3
	ROM	8/16GB Flash
	OS	Android 7.1
CONNECTOR	USB 2.0	X2
	HDMI (Output)	X1
	SD	X1
	Rj45	X1
	3G SIM (Optional)	X1
CONNECTIVITY	LAN	RJ45 Port, 10/100M Ethernet
	WiFi	Built-in WiFi 802.11B/G/N
	3G (Optional)	WCDMA
FILE SUPPORT	Video	H.264, MKV, WMV9, MPEG 1/2/4, HD Divx, Xvid, RM/RMVB;
	Image	BMP/PNG/GIF/JPEG
	Audio	MP3,WMA,WAV,EAAC+, MP2 dec, Vorbis (Ogg), AC3, FLAC, APE, BSAC
	Scrolling Text	txt



Specification



PRODUCT		ACE DB215APCAP
HDMI DISPLAY	Output Mode	HDMI 480P HDMI 576P HDMI 720P 50Hz HDMI 720P 60Hz HDMI 1080I 50Hz HDMI 1080I 60Hz HDMI 1080P 24Hz HDMI 1080P 50Hz HDMI 1080P 60Hz
ON-SCREEN DISPLAY LANGUAGES		English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.
DISPLAY MODE		Portrait
TOUCH		Capacitive Touch
POWER	Mains Power Consumption	DC 12V, 50-60 Hz 16 W
SOUND	Built-in Speakers	2 x 10W
DIMENSION & WEIGHT	Machine Size Machine Weight Carton Size Carton Weight	565x340x271 mm 7.7KG 670x425x395mm 10.9KG
OTHER	Regulatory Approvals Warranty	CE, FCC, ROHS 1 year warranty
ACCESSORIES	Included	Power supply, Tools and Screws

